



# Safety Data Sheet – Gorilla Wall Repair

Date Revised: 07/13/2021

Date Issued: 12/10/2019

Version: 2.1

## FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
Product name : Gorilla Wall Repair

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Repair and Patching of Wallboard

### 1.3. Supplier

The Gorilla Glue Company  
2101 E. Kemper Road  
Sharonville, OH 45241  
513-271-3300  
www.gorillatough.com

### 1.4. Emergency telephone number

Emergency number : 1-800-424-9300

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS-US classification

Not classified under any hazard class

### 2.2. GHS Label elements, including precautionary statements

#### GHS-US labeling

Signal word (GHS-US) : Not applicable  
Hazard statements (GHS-US) : Not applicable  
Precautionary statements (GHS-US) : Not applicable

### 2.3. Other hazards which do not result in classification

Abrasive in contact with eyes and skin. Airborne particulates may be abrasive to eyes and may cause respiratory irritation. During dry sanding or other operations that generate airborne dust, workers should wear an approved dust respirator and eye protections (see Section 8 of this SDS).

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Non-hazardous water-based latex emulsion	26300-51-6	18-25
Glass oxide chemicals	65997-17-3	29-37

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : Assure fresh air breathing. Allow victim to rest.  
First-aid measures after skin contact : Wash with plenty of soap and water. Remove affected clothing and wash all exposed skin area with mild soap and water.



# Safety Data Sheet – Gorilla Wall Repair

Date Revised: 07/13/2021

Date Issued: 12/10/2019

Version: 2.1

## FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

- |                                      |  |
|--------------------------------------|--|
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion   | : Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing.       |

### 4.2. Most important symptoms and effects (acute and delayed)

- |                                      |  |
|--------------------------------------|--|
| Symptoms/injuries after ingestion    | : If swallowed, may cause stomach discomfort.  |
| Symptoms/injuries after inhalation   | : Breathing airborne particulates may cause cough, sneezing, nasal discharge, headache, hoarse voice and sore throat |
| Symptoms/injuries after eye contact  | : Spray and dust may cause mechanical irritation.  |
| Symptoms/injuries after skin contact | : Spray may cause mechanical irritation.   |

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- |                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : None known.  |

### 5.2. Specific hazards arising from the chemical

Non-flammable

### 5.3. Special protective equipment and precautions for fire-fighters

- |                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.   |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- |                      |                                   |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

#### 6.1.2. For emergency responders

- |                      |  |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area.                            |

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if material enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- |                         |  |
|-------------------------|--|
| Methods for cleaning up | : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. |
|-------------------------|--|

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- |                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust. Use only in a well-ventilated area. |
|-------------------------------|---|

### 7.2. Conditions for safe storage, including any incompatibilities

- |                        |   |
|------------------------|---|
| Storage conditions     | : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. Prevent from freezing. |
| Incompatible products  | : None known  |
| Incompatible materials | : None known  |



# Safety Data Sheet – Gorilla Wall Repair

Date Revised: 07/13/2021

Date Issued: 12/10/2019

Version: 2.1

## FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Non-hazardous water based latex emulsion</b>		
Not applicable		
<b>Glass oxide chemicals (65997-17-3)</b>		
Manufacturer recommended 8-hour TWA	(TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable fraction)

### 8.2. Appropriate engineering controls

Ensure adequate ventilation.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Respiratory protection:

Not required under normal conditions. If concentrations exceed exposure limits, use NIOSH approved respirator.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Semi-solid
Appearance	: Paste
Color	: Off-white
Odor	: No data available
Odor threshold	: No data available
pH	: 8-10 (aqueous slurry)
Melting point / freezing point	: Approximately 0°C (32°F)
Boiling point	: Approximately 100°C (212°F)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.4 – 0.6 (water = 1)
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available



# Safety Data Sheet – Gorilla Wall Repair

Date Revised: 07/13/2021

Date Issued: 12/10/2019

Version: 2.1

## FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

Viscosity, dynamic	: 300 – 500 Brabender Units (BU)
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

## 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Normally stable.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Not available.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Non-hazardous water-based latex emulsion

LD50 oral rat	Not available
---------------	---------------

#### Glass oxide chemicals (65997-17-3)

LD50 oral rat	Not available
---------------	---------------

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : Not classified

Symptoms/injuries after eye contact : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available



# Safety Data Sheet – Gorilla Wall Repair

Date Revised: 07/13/2021

Date Issued: 12/10/2019

Version: 2.1

## FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

### 12.2. Persistence and degradability

#### Gorilla Wall Repair

Persistence and degradability	Not established.
-------------------------------	------------------

### 12.3. Bioaccumulative potential

#### Gorilla Wall Repair

Bioaccumulative potential	Not established.
---------------------------	------------------

#### Carbonic acid, calcium salt (1:1) (471-34-1)

BCF fish 1	(no bioaccumulation)
------------	----------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT  
Not applicable

### TDG

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Wall repair

Listed on the United States TSCA (Toxic Substances Control Act) inventory or are exempt

**California Prop 65: Warning:** This product contains a substance known in the State of California to cause cancer (carcinogen), birth defects (developmental) or other reproductive harm (male reproductive) [Acrylamide 79-06-1]. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

### 15.2. International regulations

#### CANADA

Not classified in any hazard class of WHWIS

#### EU-Regulations

Not known



# Safety Data Sheet – Gorilla Wall Repair

Date Revised: 07/13/2021

Date Issued: 12/10/2019

Version: 2.1

## FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

### National regulations

Not classified

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

Other information : None.

Full text of H-phrases:

none

none

SDS US (GHS HazCom 2012)

*The information presented in this Safety Data Sheet was prepared by qualified personnel and to the best of our knowledge is true and accurate. The information and recommendations are furnished for this product with the understanding that the purchaser will independently determine the suitability of the product for this purpose. This data does not constitute a warranty, expressed or implied, statutory or otherwise, nor is it representation for which The Gorilla Glue Company assumes legal responsibility. The data is submitted for the user's information and consideration only. Any use of this product must be determined by the user to be in accordance with applicable federal, state, provincial and local laws and regulations.*